


AURORA'S CABIN



Fabrics shown in sample: Benartex Caryl's Feathers collection by Caryl Bryer Fallert.

Gateway Quilts & Stuff, Inc.
212 Fox Meadow Lane
Beaufort, MO 63013
(314) 913-1197

Quilt size: 74" x 89"
Block size: 15"

**GREAT QUILT FOR BATIKS AND
TONE-ON-TONES
LARGE BLOCK - FAST PIECING
LEVEL: CONFIDENT BEGINNER**

Toby Lischko, Designer/Author
tlischko@yahoo.com
www.gatewayquiltsnstuff.com

©Toby Lischko, 2014

The enclosed pattern is presented in good faith: however, no warranty or guarantee of results is given.

Aurora's Cabin

Designed by Toby Lischko

on EQ7 Mac

Quilt size: 74" x 89"

Block size: 15" x 15"

PLEASE READ ALL INSTRUCTIONS BEFORE BEGINNING

General instructions

- * All seams are sewn with 1/4".
- * Press in the direction of the arrows unless instructed otherwise.
- * Use a "measure as you go" system, measuring block after each addition to be assured the correct size when finished.
- * Border instructions are cut to size. Before cutting measure and use your own personal measurement. (YOPM)

YARDAGE (Benartex fabric skus in parenthesis)

Fabric 1 - Cherry Red (BECRFERD) 3/4 yard
Fabric 2 - Amber (BECRFECO) 7/8 yard
Fabric 3 - Fushia (BECRFEWM) 7/8 yard
Fabric 4 - Green Curry (BECRFECES) 7/8 yard
Fabric 5 - Orchid Purple (BECRFEGP) 7/8 yard
Fabric 6 - Cactus Green (BECRFELF) 7/8 yard
Fabric 7 - Amethyst Purple (BECRFEIR) 1 yard
Fabric 8 - Lime Green (BECRFEBM) 7/8 yard
Fabric 9 - French Blue (BECRFEFR) 1-7/8 yards
Fabric 10 - Jade Green (BECRFEJD) 1-1/8 yards
Backing: 5-1/2 yards; 3-1/4 yards if using WIDE backing.
Batting: 82" x 97"

CUTTING INSTRUCTIONS (Based on 42" WOF-Width of Fabric)

From Fabric 1:

- * Cut **one** 1-3/4" x WOF; sub-cut into **twenty** 1-3/4" x 1-3/4".
- * Cut **two** 1-1/2" x WOF.
- * Cut **two** 2-1/2" x WOF.
- * Cut **three** 3-1/2" x WOF.

From Fabric 2:

- * Cut **two** 1-3/4" x WOF; sub-cut into **twenty** 1-3/4" x 1-3/4" and **twenty** 1-3/4" x 3".

- * Cut **two** 1-1/2" x WOF.
- * Cut **two** 2-1/2" x WOF.
- * Cut **three** 3-1/2" x WOF.

From Fabric 3:

- * Cut **four** 2-3/8" x WOF; sub-cut into **twenty** 2-3/8" x 3" and **twenty** 2-3/8" x 4-7/8".
- * Cut **four** 1-1/2" x WOF.
- * Cut **three** 3-1/2" x WOF.

From Fabric 4:

- * Cut **six** 1-3/4" x WOF; sub-cut into **twenty** 1-3/4" x 4-7/8" and **twenty** 1-3/4" x 6-1/8".
- * Cut **five** 1-1/2" x WOF.
- * Cut **three** 3-1/2" x WOF.

From Fabric 5:

- * Cut **eight** 2-3/4" x WOF; sub-cut into **twenty** 2-3/8" x 6-1/8" and **twenty** 2-3/8" x 8".
- * Cut **two** 1-1/2" x WOF.
- * Cut **two** 2-1/2" x WOF.

From Fabric 6:

- * Cut **nine** 1-3/4" x WOF; sub-cut into **twenty** 1-3/4" x 8" and **twenty** 1-3/4" x 9-1/4".
- * Cut **three** 1-1/2" x WOF.
- * Cut **two** 2-1/2" x WOF.

From Fabric 7:

- * Cut **twelve** 2-3/8" x WOF; sub-cut into **twenty** 2-3/8" x 9-1/4" and **twenty** 2-3/8" x 11-1/8".

From Fabric 8:

- * Cut **fourteen** 1-3/4" x WOF; sub-cut into **twenty** 1-3/4" x 11-1/8" and **twenty** 1-3/4" x 12-3/8".

From Fabric 9:

- * Cut **seventeen** 2-3/8" x WOF; sub-cut into **twenty** 2-3/8" x 12-3/8" and **twenty** 2-3/8" x 14-1/4".
- * Cut **nine** 2-1/4" x WOF (for binding).

From Fabric 10:

- * Cut **twenty** 1-3/4" x WOF; sub-cut into **twenty** 1-3/4" x 14-1/4" and **twenty** 1-3/4" x 15-1/2".

BLOCK CONSTRUCTIONS (Make 20)

Follow illustrations for fabric placement.


1. Sew a 1-3/4" x 1-3/4" Fabric 1 patch to a 1-3/4" x 1-3/4" Fabric 2 patch. Press to 2.




2. Sew a 1-3/4" x 3" Fabric 2 patch to the pair. Press to 2.




3. Sew a 2-3/8" x 3" Fabric 3 patch to the top. Press to 3.




4. Sew a 2-3/8" x 4-7/8" Fabric 3 patch to the left side. Press to 3.




5. Sew a 1-3/4" x 4-7/8" Fabric 4 patch to the bottom. Press to 4.




6. Sew a 1-3/4" x 6-1/8" Fabric 4 patch to the right side. Press to 4.




7. Sew a 2-3/8" x 6-1/8" Fabric 5 patch to the top. Press to 5.




8. Sew a 2-3/8" x 8" Fabric 5 patch to the left side. Press to 5.




9. Sew on a 1-3/4" x 8" Fabric 6 patch to the bottom. Press to 6.




10. Sew a 1-3/4" x 9-1/4" Fabric 6 patch to the right side. Press to 6.



11. Sew a 2-3/8" x 9-1/4" Fabric 7 patch to the top. Press to 7.




12. Sew a 2-3/8" x 11-1/8" Fabric 7 patch to the left side. Press to 7.




13. Sew a 1-3/4" x 11-1/8" Fabric 8 patch to the bottom. Press to 8.



14. Sew a 1-3/4" x 12-3/8" Fabric 8 patch to the right side. Press to 8.




15. Sew a 2-3/8" x 12-3/8" Fabric 9 patch to the top. Press to 9.




16. Sew a 2-3/8" x 14-1/4" Fabric 9 patch to the left side. Press to 9. Block should finish at 15-1/2" x 15-1/2".

17. Sew a 2-3/8" x 14-1/4" Fabric 10 patch to the bottom. Press to 10.




18. Sew a 2-3/8" x 15-1/2" Fabric 10 patch to the right side. Press to 10.



QUILT CONSTRUCTION


19. Layout the blocks four across and five down, rotating the blocks as illustrated below. Sew blocks together across, then sew rows together. ***You can play with the placement of the blocks to create your own design.*




BORDER CONSTRUCTION AND FINISHING TECHNIQUES (Follow illustration)

20. Sew the **two** 1-1/2" Fabric 2 strips together. Repeat with the Fabric 4 strips. Trim both to 75-1/2" or your own personal measurement (YOPM). Match centers and ends, pin and sew to the left and right sides of the quilt.
21. Sew the **two** 1-1/2" Fabric 1 strips together. Repeat with the Fabric 3 strips. Trim both to 62-1/2" or YOPM. Match centers. pin and sew to top and bottom of quilt.
22. Repeat step 20 with the **two** 2-1/2" Fabric 6 and Fabric 2 strips. Trim both pieced strips to 77-1/2".
23. Repeat step 21 with the **two** 2-1/2" Fabric 5 and Fabric 1 strips. Trim both pieced strips to 66-1/2".
24. Repeat step 20 with the **three** 1-1/2" Fabric 4 and Fabric 6 strips. Trim both pieced strips to 81-1/2".
25. Repeat step 21 with the **two** 1-1/2" Fabric 3 and Fabric 5 strips. Trim both pieced strips to 68-1/2".
26. Repeat step 20 with the **three** 3-1/2" Fabric 2 and Fabric 4 strips. Trim both pieced strips to 83-1/2".
27. Repeat step 21 with the **two** 3-1/2" Fabric 1 and Fabric 3 strips. Trim both pieced strips to 74-1/2".

You may use a 3-1/4 yard piece of wide backing. If using 42" wide fabric, cut two backing pieces at 2-3/4 yards by WOF. Sew the two pieces along the selvage edges together using a 1" seam. Trim the selvages off and press to one side. The backing seam will be vertical to the quilt.



Layer top, batting, and backing and quilt as desired.



28. Sew the **nine** 2-1/4" Fabric 9 strips together. Fold in half lengthwise, wrong sides together and sew to top, matching raw edges and mitering corners. Fold to back and hand sew to back. BE SURE TO PUT A LABEL ON THE BACK AND ENJOY!