

Winter Grandeur

Great quilt for panels and large prints.

Toby Lischko presents

TL-24

Quilt: 38" x 50"

Winter Grandeur



Fabric #	Quilt
#1 Panel or large print	2/3 yard or 3/4 yard
#2 Print for fussy-cutting OR Medium print 1	5/8 yard 1/4 yard
#3 Medium print 2	2/3 yard
#4 Medium light print	1/4 yard
#5 Light print	5/8 yard
#6 Dark print	1 yard
Backing	2-1/2 yards
Batting	44" x 56"

All rights reserved. No part of this pattern may be photocopied or reproduced without written consent of the designer, Toby Lischko. All finished items produced from this pattern may not be used commercially.

The enclosed pattern is presented in good faith: however, no warranty or guarantee of results is given.

Gateway Quilts & Stuff



Gateway Quilts & Stuff, Inc.
212 Fox Meadow Lane
Beaufort, MO 63013
(314) 913-1197

TL-24
Winter Grandeur



Toby Lischko, Designer/Author
tlischko@yahoo.com

www.gatewayquiltsnstuff.com

©Toby Lischko, 2014

Winter Grandeur

Quilt size: 38" x 50"

Designed by Toby Lischko
on EQ7

PLEASE READ ALL INSTRUCTIONS BEFORE BEGINNING

General instructions

- * All seams are sewn with 1/4".
- * Press in the direction of the arrows unless instructed otherwise.
- * HST refers to Half-square triangle, a square that has been cut once diagonally.
- * QST refers to Quarter-square triangle, a square that has been cut twice diagonally.
- * I do not recommend washing the panel.
- * Make a template 3-3/8" x 3-3/8". Draw two diagonal lines through both corners.

CUTTING INSTRUCTIONS (based on 42" wide)

From Fabric 1


- * Trim the panel to 23" wide. Tip: Fold panel in half vertically, through the center of the tree, and measure 11-1/2" from the center, to trim both sides evenly.
- * Trim the length of the panel to 35". First cut straight across at 3/4" above the top of the tree. Measure down 35" and cut straight across.

From Fabric 2

- * Using the 3-3/8" square template, center the diagonal lines along the centers of the small star in the fabric. Cut **twelve** on-point. (see illustration) If using a regular print cut **twelve** 3-3/8" squares.



- * Using a square ruler, cut **four** 4-1/2" x 4-1/2", (straight on) placing the 2-1/4" lines along the center of the star. Trim two sides, turn ruler and trim other two sides. (see illustration) Cut **four** 4-1/2" squares if using a regular print.



From Fabric 3

- * Cut **two** 3-3/8" x WOF strips; sub-cut into **eighteen** 3-3/8" x 3-3/8".
- * Cut **five** 2-1/4" x WOF for binding.

From Fabric 4

- * Cut **three** 1-7/8" x WOF strips; sub-cut into **fifty-two** 1-7/8" x 1-7/8".

From Fabric 5

- * Cut **two** 3-1/4" x WOF strips; sub-cut into **thirteen** 3-1/4" x 3-1/4" then cut each twice diagonally to make **fifty-two** QST.
- * Cut **two** 2-7/8" x 2-7/8"; cut each once diagonally to make **four** HST.
- * Cut **four** 1-1/4" x WOF.



From Fabric 6

- * Cut **two** 3-1/4" x WOF strips; sub-cut into **thirteen** 3-1/4" x 3-1/4" then cut each twice diagonally to make **fifty-two** QST.
- * Cut **two** 2-7/8" x 2-7/8"; cut each once diagonally to make **four** HST.
- Cut **five** 3-1/2" x WOF strips for border.

PIECED BORDER CONSTRUCTION

1. Sew a 3-1/4" Fabric 5 QST to two sides of a 1-7/8" Fabric 4 square. Make 26. Repeat with the 3-1/4" Fabric 6 QST. Make 26.
2. Sew a 2-7/8" Fabric 6 HST to the right side of a 3-3/8" Fabric 3 square and a 2-7/8" Fabric 5 HST to the left side. Make 4.
3. Repeat step 2 except sew Fabric 5 to the right side and Fabric 6 to the left. Make 4.
4. Sew a Triangle Unit 1 on the top left side of unit A. Make 4.
5. Sew a Triangle Unit 2 to the bottom right side of Unit B. Make 4.

6. Sew a Triangle Unit 1 to the top left side of a 3-3/8" Fabric 3 square and a Triangle Unit 2 to the bottom right. Make 10.




7. Sew a Triangle Unit 1 to the top left side of a 3-3/8" Fabric 2 square and a Triangle Unit 2 to the bottom right. Make 12.

8. Starting with Unit A1, matching seams, sew a Unit D, then Unit C. Continue alternating D and C, as illustrated, ending with a Unit B1. Make 2. (Side borders) These should equal 4-1/2" x 36-1/2". Press all seams in one direction.



9. Starting with Unit A1, matching seams, sew Unit D, then two Unit C, then Unit D as illustrated, ending with a Unit B1. Make 2. (Top and bottom borders) These should equal 4-1/2" x 24-1/2". Press all seams in one direction.



QUILT CONSTRUCTION
(See illustration)


10. Trim two 1-1/4" Fabric 5 strips to 35" in length. Sew to sides of Fabric 1 panel. Trim the remaining two strips to 24-1/2". Sew to top and bottom. Press to Fabric 5.

12. Matching centers and ends, sew on side pieced borders units. Press to Fabric 5 strips.

13. Sew a 4-1/2" Fabric 2 square to both ends of the top and bottom pieced border units. Press to squares. Matching centers and ends, sew to top and bottom. Press to Fabric 5 strips.

14. Sew **three** 3-1/2" Fabric 6 strips short ends together with diagonal seams. Trim to **two** 44-1/2" lengths. Matching centers and ends, sew to sides. Press to Fabric 6.

15. Trim **two** 3-1/2" Fabric 6 strips to 38-1/2". Matching centers and ends sew to top and bottom. Press to Fabric 6.



FINISHING

16. Layer top, batting, and pieced backing and quilt as desired.

17. Sew the **five** 2-1/4" Fabric 3 binding strips together end to end using diagonal seams. Sew to the quilt using a French binding technique.
PUT A LABEL ON THE BACK AND ENJOY!